


OB

Estimated Time: 10 minutes • Debriefing Time: 10 minutes



Scan to Begin



Patient Name: Olivia Brooks

SCENARIO OVERVIEW

Olivia Brooks is a 22-year-old, pregnant female who was found in the restroom of a local college after bystanders heard her yelling for help.

Level 1 requires a “Scene Size-Up” based on the National Registry of Emergency Technicians Psychomotor Exam.

LEARNING OBJECTIVES

1. Gather information related to dispatch
2. Verbalize appropriate body substance isolation precautions
3. Determine if the scene/situation is safe
4. Determine the mechanism of injury/nature of illness
5. Determine the number of patients
6. Request additional help if necessary
7. Consider stabilization of spine

CURRICULUM MAPPING

WTCS EMT-P PROGRAM OUTCOMES

- Prepare for incident response and EMS operations
- Integrate pathophysiological principles and assessment findings to provide appropriate patient care.
- Communicate effectively with others
- Demonstrate professional behavior
- Meet state and national competencies listed for EMT- paramedic certification(s)

SIMULATION LEARNING ENVIRONMENT & SET-UP

PATIENT PROFILE

Name: Olivia Brooks

Gender: Female

DOB: 01/29/XX

Height: 162.5 cm (5 ft 5 in)

Age: 22

Weight: 70.9 kg (156 lbs)

EQUIPMENT/SUPPLIES/SETTINGS


Patient

- Street clothes with belly to simulate 32 weeks pregnant
- Bathroom is littered with papers and books, garbage is tipped over, and it looks there was a scuffle

Monitor Settings

- None

QR CODES



TEACHING PLAN

PREBRIEF

The facilitator should lead this portion of the simulation. The following steps will guide you through Prebrief.

- Scan the **QR code: “Scan to Begin”** while students are in Prebrief
- “Meet Your Patient” (on iPad) and explain how the iPad works in the simulated learning environment including:
 - Facilitator note: This scenario has been designed to flow without scanning additional QR codes for convenience in the classroom. For added flexibility, you may elect to use the QR codes provided above to design your own scenario flow.
- Discuss the simulation “Learning Objective(s)” (on iPad) as well as any other Prebrief materials

STATE 1

RECEIVE DISPATCH

- Play “Dispatch” (on iPad): “ARISE EMS: You’re dispatched for a 22-year-old female patient. She is in a bathroom at ARISE University after an apparent domestic abuse incident. Assailant has apparently fled the scene. Caller stated she was pregnant, but didn’t know how far along and there may be evidence of vaginal bleeding.”
- View the “En Route to the scene” message
- Preview the National Registry of EMT Psychomotor Examination form for Medical Assessment
- Possible Facilitator Question
 - What are your plans based on the dispatch you received?

STATE 2

SURVEY THE SCENE

- Overview
 - A video of the patient in a public restroom of a local college displays concerns and cues related to an altercation as well as the state of her health and pregnancy.
- Expected Student Behaviors
 - Play “Scene Size-Up” (on iPad)
 - Answer the following questions displayed on the iPad:
 - Verbalize if body substance isolation precautions are needed.
 - Is the scene safe?
 - What is the nature of the patient’s illness?
 - What is the number of patients?
 - Is additional assistance needed?
 - Is spinal stabilization needed?
- Suggested Facilitator Questions
 - Assist students in thinking through questions displayed
 - “What are your immediate concerns about the safety of the scene?”
- Tabbed iPad Content

EMERGENCY HOME SCREEN

This is the home screen. In the top left corner is the “menu” icon where the tabs described below can be accessed.

MEDICAL ASSESSMENT FORM



National Registry of Emergency Medical Technicians® Emergency Medical Technician Psychomotor Examination

PATIENT ASSESSMENT/MANAGEMENT – MEDICAL

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario # _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional EMS assistance if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITATION		
Verbalizes the general impression of the patient	1	
Determines responsiveness/level of consciousness (AVPU)	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing -Assessment (1 point) -Assures adequate ventilation (1 point) -Initiates appropriate oxygen therapy (1 point)	3	
Assesses circulation -Assesses/controls major bleeding (1 point) -Checks pulse (1 point) -Assesses skin [either skin color, temperature or condition] (1 point)	3	
Identifies patient priority and makes treatment/transport decision	1	
HISTORY TAKING		
History of the present illness -Onset (1 point) -Quality (1 point) -Severity (1 point) -Provocation (1 point) -Radiation (1 point) -Time (1 point) -Clarifying questions of associated signs and symptoms related to OPQRST (2 points)	8	
Past medical history -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) -Medications (1 point) -Last oral intake (1 point)	5	
SECONDARY ASSESSMENT		
Assesses affected body part/system -Cardiovascular -Neurological -Integumentary -Reproductive -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social	5	
VITAL SIGNS		
-Blood pressure (1 point) -Pulse (1 point) -Respiratory rate and quality (1 point each)	4	
States field impression of patient	1	
Interventions [verbalizes proper interventions/treatment]	1	
REASSESSMENT		
Demonstrates how and when to reassess the patient to determine changes in condition	1	
Provides accurate verbal report to arriving EMS unit	1	
Actual Time Ended: _____	TOTAL	42

CRITICAL CRITERIA

- ___ Failure to initiate or call for transport of the patient within 15 minute time limit
- ___ Failure to take or verbalize appropriate body substance isolation precautions
- ___ Failure to determine scene safety before approaching patient
- ___ Failure to voice and ultimately provide appropriate oxygen therapy
- ___ Failure to assess/provide adequate ventilation
- ___ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- ___ Failure to differentiate patient's need for immediate transportation versus continued assessment or treatment at the scene
- ___ Performs secondary examination before assessing and treating threats to airway, breathing and circulation
- ___ Orders a dangerous or inappropriate intervention
- ___ Failure to provide accurate report to arriving EMS unit
- ___ Failure to manage the patient as a competent EMT
- ___ Exhibits unacceptable affect with patient or other personnel
- ___ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

© 2011 by the National Registry of Emergency Medical Technicians, Inc., Columbus, OH

e202/10-12

All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

SCENE SURVEY

Tap here to replay the video of the scene.

SCANNER

Use this to scan optional QR Codes.

EXIT

Students may exit the scenario after viewing the videos and the question plaques.

If ALL of the objectives of the program have been met, the iPad reads, “All scenario objectives have been completed. Would you like to exit the scenario?”

- If “No” is selected, the iPad will return to the tabbed content.
- If “Yes” is selected, the iPad will let the student(s) exit and prompt them to complete an embedded 3-5 minute survey.

DEBRIEF

Nothing needed from the iPad.

QUESTIONS

1. How did you feel this scenario went?
2. Review understanding of scenario learning objectives.
 - a. Was the scene safe? Explain.
 - b. What actions are required when an altercation is suspected?
 - c. What body isolation precautions were appropriate?
 - d. What is the nature of the patient's condition?
 - e. Did you require additional EMS assistance? Why or why not?
 - f. If you could "do over," would you do anything differently?
3. Summary/Take Away Points:
 - a. "Today you analyzed the scene for a 22-year-old pregnant female found in a public restroom of a local college after an apparent altercation. What is one thing you learned from participating in this scenario that you will take with you into your EMS practice?" (Each student must share something different from what the others' share.)

NOTE: Debriefing technique is based on INASCL Standards for Debriefing

SURVEY

Print this page and provide to students.

Students, please complete a brief (2-3 minute) survey regarding your experience with this ARISE simulation. There are two options:

1. Use QR Code: Survey
 - a. Note: You will need to download a QR Code reader/scanner onto your own device (smartphone or tablet). There are multiple free scanner apps available for both Android and Apple devices from the app store.
 - b. This QR Code will not work in the ARIS app.



2. Copy and paste the following survey link into your browser.
 - a. https://ircvtc.co1.qualtrics.com/SE/?SID=SV_6Mwfv98ShBfRnBX

CREDITS

National Registry of Emergency Medical Technicians (2011). Emergency Medical Technician Psychomotor Examination: Patient Assessment/Management - Medical. Downloaded from <https://www.nremt.org/rwd/public/document/psychomotor-exam>

REFERENCES

Colwell, C. (2017). Initial Evaluation and management of shock in adult trauma. UpToDate. Downloaded from https://www.uptodate.com/contents/initial-evaluation-and-management-of-shock-in-adult-trauma?source=search_result&search=prehospital%20pregnancy&selectedTitle=1~112#H6093484

International Nursing Association for Clinical Simulation and Learning (2016). Standards of Practice: Simulation. Downloaded from <http://www.inacsl.org/i4a/pages/index.cfm?pageid=3407>

Sirbaugh, P. & Meckler, G. (2017). Prehospital pediatrics and emergency medical services. UpToDate. Downloaded from https://www.uptodate.com/contents/prehospital-pediatrics-and-emergency-medical-services-ems?source=search_result&search=paramedics%20and%20obstetrics&selectedTitle=1~47

Sirbaugh, P. & Srinivasan, S. (2017). Pediatric considerations in prehospital care. UpToDate. Downloaded from https://www.uptodate.com/contents/pediatric-considerations-in-prehospital-care?source=search_result&search=prehospital%20pregnancy&selectedTitle=3~112



This work by the Wisconsin Technical College System TAACCCT IV Consortium is licensed under a Creative Commons Attribution 4.0 International license.

Third party marks and brands are the property of their respective holders. Please respect the copyright and terms of use on any webpage links that may be included in this document.

This workforce product was funded by a grant awarded by the U.S. Department of Labor's Employment and Training Administration. The product was created by the grantee and does not necessarily reflect the official position of the U.S. Department of Labor. The U.S. Department of Labor makes no guarantees, warranties, or assurances of any kind, express or implied, with respect to such information, including any information on linked sites and including, but not limited to, accuracy of the information or its completeness, timeliness, usefulness, adequacy, continued availability, or ownership. This is an equal opportunity program. Assistive technologies are available upon request and include Voice/TTY (771 or 800-947-6644).